

Dynamic Programming: The Matrix Chain Algorithm

Andreas Klappenecker

[partially based on slides by Prof. Welch]

Matrix Chain Problem

Suppose that we want to multiply a sequence of rectangular matrices. In which order should we multiply?

$$A \times (B \times C) \quad \text{or} \quad (A \times B) \times C$$

Matrices

An $n \times m$ matrix A over the real numbers is a rectangular array of nm real numbers that are arranged in n rows and m columns.

For example, a 3×2 matrix A has 6 entries

$$A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \\ a_{31} & a_{32} \end{pmatrix}$$

where each of the entries a_{ij} is e.g. a real number.

Matrix Multiplication

Let A be an $n \times m$ matrix

B an $m \times p$ matrix

The product of A and B is $n \times p$ matrix AB whose (i,j) -th entry is

$$\sum_{k=1}^m a_{ik} b_{kj}$$

In other words, we multiply the entries of the i -th row of A with the entries of the j -th column of B and add them up.


Matrix Multiplication

$$x_{1,2} = (a_{1,1}, a_{1,2}) \cdot (b_{1,2}, b_{2,2})$$

$$= a_{1,1}b_{1,2} + a_{1,2}b_{2,2}$$

$$x_{3,3} = (a_{3,1}, a_{3,2}) \cdot (b_{1,3}, b_{2,3})$$

$$= a_{3,1}b_{1,3} + a_{3,2}b_{2,3}$$



Complexity of Matrix Multiplication

Let A be an $n \times m$ matrix, B an $m \times p$ matrix. Thus,

AB is an $n \times p$ matrix. Computing the product AB takes

nmp scalar multiplications

$n(m-1)p$ scalar additions

for the standard matrix multiplication algorithm.

Matrix Chain Order Problem

Matrix multiplication is associative, meaning that $(AB)C = A(BC)$. Therefore, we have a choice in forming the product of several matrices.

What is the **least expensive** way to form the product of several matrices if the naïve matrix multiplication algorithm is used?

[We use the number of scalar multiplications as cost.]

Why Order Matters

Suppose we have 4 matrices:

A: 30×1

B: 1×40

C: 40×10

D: 10×25

$((AB)(CD))$: requires 41,200 scalar multiplications

$(A((BC)D))$: requires 1400 scalar multiplications

Matrix Chain Order Problem

Given matrices A_1, A_2, \dots, A_n ,
where A_i is a $d_{i-1} \times d_i$ matrix.

[1] What is minimum number of scalar multiplications required to compute the product $A_1 \cdot A_2 \cdot \dots \cdot A_n$?

[2] What order of matrix multiplications achieves this minimum?

We focus on question [1], and sketch an answer to [2].

A Possible Solution

Try all possibilities and choose the best one.

Drawback: There are too many of them (exponential in the number of matrices to be multiplied)

We need to be smarter: Let's try dynamic programming!

Step 1: Develop a Recursive Solution

- Define $M(i,j)$ to be the minimum number of multiplications needed to compute $A_i \cdot A_{i+1} \cdot \dots \cdot A_j$
- Goal: Find $M(1,n)$.
- Basis: $M(i,i) = 0$.
- Recursion: How can one define $M(i,j)$ recursively?

Defining $M(i,j)$ Recursively

- Consider all possible ways to split A_i through A_j into two pieces.
- Compare the costs of all these splits:
 - best case cost for computing the product of the two pieces
 - plus the cost of multiplying the two products
- Take the best one
- $M(i,j) = \min_k (M(i,k) + M(k+1,j) + d_{i-1}d_kd_j)$

Defining $M(i,j)$ Recursively

$$\underbrace{(A_i \cdot \dots \cdot A_k)}_{P_1} \cdot \underbrace{(A_{k+1} \cdot \dots \cdot A_j)}_{P_2}$$

- minimum cost to compute P_1 is $M(i,k)$
- minimum cost to compute P_2 is $M(k+1,j)$
- cost to compute $P_1 \cdot P_2$ is $d_{i-1}d_kd_j$

Step 2: Find Dependencies Among Subproblems

M:

| | 1 | 2 | 3 | 4 | 5 |
|---|-----|-----|-----|-----|---|
| 1 | 0 | | | | ○ |
| 2 | n/a | 0 | | | |
| 3 | n/a | n/a | 0 | | |
| 4 | n/a | n/a | n/a | 0 | |
| 5 | n/a | n/a | n/a | n/a | 0 |

← GOAL!

computing the pink square requires the purple ones: to the left and below.

Defining the Dependencies

Computing $M(i,j)$ uses

everything in same row to the left:

$$M(i,i), M(i,i+1), \dots, M(i,j-1)$$

and everything in same column below:

$$M(i,j), M(i+1,j), \dots, M(j,j)$$

Step 3: Identify Order for Solving Subproblems

Recall the dependencies between subproblems just found

Solve the subproblems (i.e., fill in the table entries) this way:

- go along the diagonal
- start just above the main diagonal
- end in the upper right corner (goal)

Order for Solving Subproblems

M:

| | 1 | 2 | 3 | 4 | 5 |
|---|-----|-----|-----|-----|---|
| 1 | 0 | | | | 4 |
| 2 | n/a | 0 | | | |
| 3 | n/a | n/a | 0 | | |
| 4 | n/a | n/a | n/a | 0 | |
| 5 | n/a | n/a | n/a | n/a | 0 |

Pseudocode

```
for i := 1 to n do M[i,i] := 0
for d := 1 to n-1 do // diagonals
  for i := 1 to n-d to // rows w/ an entry on d-th diagonal
    j := i + d // column corresp. to row i on d-th diagonal
    M[i,j] := infinity
    for k := i to j-1 to
      M[i,j] := min(M[i,j], M[i,k]+M[k+1,j]+di-1dkdj)
    endfor
  endfor
endfor
```

pay attention here
to remember actual
sequence of mults.

running time $O(n^3)$

Example

M:

| | 1 | 2 | 3 | 4 |
|---|-----|------|-----|--------|
| 1 | 0 | 1200 | 700 | 1400 |
| 2 | n/a | 0 | 400 | 650 |
| 3 | n/a | n/a | 0 | 10,000 |
| 4 | n/a | n/a | n/a | 0 |

1: A is 30×1

2: B is 1×40

3: C is 40×10

4: D is 10×25

$B \times C$: $1 \times 40 \times 10$

$(B \times C) \times D$:

$400 + 1 \times 10 \times 25$

$B \times (C \times D)$:

$\dots + 10,000$

Keeping Track of the Order

- It's fine to know the cost of the cheapest order, but what is that cheapest order?
- Keep another array S and update it when computing the minimum cost in the inner loop
- After M and S have been filled in, then call a recursive algorithm on S to print out the actual order

Modified Pseudocode

```
for i := 1 to n do M[i,i] := 0
```

```
for d := 1 to n-1 do // diagonals
```

```
  for i := 1 to n-d to // rows w/ an entry on d-th diagonal
```

```
    j := i + d // column corresponding to row i on d-th diagonal
```

```
    M[i,j] := infinity
```

```
    for k := i to j-1 to
```

```
      M[i,j] := min(M[i,j], M[i,k]+M[k+1,j]+di-1dkdj)
```

```
      if previous line changed value of M[i,j] then S[i,j] := k
```

```
    endfor
```

```
  endfor
```

```
endfor
```

keep track of cheapest split point
found so far: between A_k and A_{k+1}

Example

M:

S:

| | 1 | 2 | 3 | 4 |
|---|-----|-------------------|------------------|---------------------|
| 1 | 0 | 1200 ₁ | 700 ₁ | 1400 ₁ |
| 2 | n/a | 0 | 400 ₂ | 650 ₃ |
| 3 | n/a | n/a | 0 | 10,000 ₃ |
| 4 | n/a | n/a | n/a | 0 |

1: A is 30x1

2: B is 1x40

3: C is 40x10

4: D is 10x25

$A \times (BCD)$

$A \times ((BC) \times D)$

$A \times ((B \times C) \times D)$

Using S to Print Best Ordering

Call `Print(S,1,n)` to get the entire ordering.

`Print(S,i,j)`:

if $i = j$ then output `"A" + i` //+ is string concat

else

`k := S[i,j]`

output `"(" + Print(S,i,k) + Print(S,k+1,j) + ")"`