

Risto Miikkulainen, James A. Bednar, Yoonsuck
Choe, and Joseph Sirosh

Computational Maps in the Visual Cortex

February 6, 2005

Springer

Berlin Heidelberg New York

Hong Kong London

Milan Paris Tokyo

Contents

| | |
|------------------------------|--------|
| Foreword | vii |
| Preface | xi |
| List of Figures | xxv |
| List of Tables | .xxxix |

Part I FOUNDATIONS

| | |
|---------------------------------------------------------------|----|
| 1 Introduction | 3 |
| 1.1 Input-Driven Self-Organization | 4 |
| 1.2 Constructing Visual Function | 7 |
| 1.3 Perceptual Grouping | 8 |
| 1.4 Approach | 10 |
| 1.5 Guide for the Reader | 13 |
| 2 Biological Background | 15 |
| 2.1 Visual System Organization | 15 |
| 2.1.1 Early Visual Processing | 16 |
| 2.1.2 Primary Visual Cortex | 18 |
| 2.1.3 Face and Object Processing | 20 |
| 2.1.4 Input-Driven Self-Organization | 22 |
| 2.2 Lateral Connections | 23 |
| 2.2.1 Organization | 23 |
| 2.2.2 Development | 25 |
| 2.2.3 Computational and Functional Hypotheses | 26 |
| 2.3 Genetic Versus Environmental Factors in Development | 28 |
| 2.3.1 Bias/Variance Tradeoff | 29 |
| 2.3.2 Combining Genetic and Environmental Information | 30 |
| 2.3.3 Retinal Waves | 31 |

| | | |
|----------|----------------------------------------|-----------|
| 2.3.4 | Ponto-Geniculo-Occipital Waves | 32 |
| 2.4 | Temporal Coding | 33 |
| 2.4.1 | Binding Through Synchronization | 33 |
| 2.4.2 | Experimental Evidence | 34 |
| 2.4.3 | Modes of Synchronization | 36 |
| 2.5 | Conclusion | 36 |
| 3 | Computational Foundations | 39 |
| 3.1 | Computational Units | 39 |
| 3.1.1 | Compartmental Models | 40 |
| 3.1.2 | Coupled Oscillators | 42 |
| 3.1.3 | Integrate-and-Fire Neurons | 43 |
| 3.1.4 | Firing-Rate Neurons | 45 |
| 3.2 | Temporal Coding | 46 |
| 3.3 | Adaptation | 48 |
| 3.4 | Self-Organizing Maps | 50 |
| 3.4.1 | Variations of Map Models | 50 |
| 3.4.2 | Architecture and Computations | 53 |
| 3.4.3 | Self-Organizing Process | 55 |
| 3.5 | Knowledge Representation in Maps | 57 |
| 3.5.1 | Principal Surfaces | 59 |
| 3.5.2 | Folding | 62 |
| 3.6 | Conclusion | 63 |

Part II INPUT-DRIVEN SELF-ORGANIZATION

| | | |
|----------|------------------------------------------------------|-----------|
| 4 | LISSOM: A Computational Map Model of V1 | 67 |
| 4.1 | Motivation: Cortical Maps | 67 |
| 4.2 | The LISSOM Architecture | 68 |
| 4.2.1 | Overview | 68 |
| 4.2.2 | Connections to the LGN | 70 |
| 4.2.3 | Connections in the Cortex | 72 |
| 4.3 | Response Generation | 73 |
| 4.3.1 | Retinal Activation | 73 |
| 4.3.2 | LGN Activation | 73 |
| 4.3.3 | Cortical Activation | 75 |
| 4.4 | Learning | 76 |
| 4.4.1 | Weight Adaptation | 76 |
| 4.4.2 | Connection Death | 77 |
| 4.4.3 | Parameter Adaptation | 77 |
| 4.5 | Self-Organizing Process | 78 |
| 4.5.1 | Method | 78 |
| 4.5.2 | Afferent Connections | 78 |
| 4.5.3 | Lateral Connections | 79 |

| | | |
|----------|----------------------------------------------------------------|------------|
| 4.5.4 | Differences Between LISSOM and SOM | 80 |
| 4.6 | Conclusion | 82 |
| 5 | Development of Maps and Connections | 85 |
| 5.1 | Biological Background | 85 |
| 5.1.1 | Quantitative Descriptions of Maps and Connections | 86 |
| 5.1.2 | Experimental Manipulation of Maps | 87 |
| 5.1.3 | Interactions Between Multiple Maps | 88 |
| 5.2 | Computational Models | 91 |
| 5.2.1 | Non-Incremental Models | 91 |
| 5.2.2 | Incremental Models with Fixed Lateral Connections | 93 |
| 5.2.3 | Incremental Models with Modifiable Lateral Connections | 94 |
| 5.3 | Orientation Maps | 95 |
| 5.3.1 | Method | 95 |
| 5.3.2 | Receptive Fields and Orientation Maps | 97 |
| 5.3.3 | Analysis of the Orientation Maps | 99 |
| 5.3.4 | Lateral Connections | 101 |
| 5.3.5 | Effect of Input Types | 104 |
| 5.4 | Ocular Dominance Maps | 106 |
| 5.4.1 | Method | 106 |
| 5.4.2 | Normal Ocular Dominance Maps | 107 |
| 5.4.3 | Strabismic Ocular Dominance Maps | 109 |
| 5.4.4 | Effect of Input Disparity | 111 |
| 5.5 | Direction Selectivity Maps | 113 |
| 5.5.1 | Method | 113 |
| 5.5.2 | Direction Maps | 115 |
| 5.5.3 | Effect of Input Speed | 119 |
| 5.6 | Combined Maps of Multiple Features | 119 |
| 5.6.1 | Method | 121 |
| 5.6.2 | Combined Orientation / Ocular Dominance Maps | 122 |
| 5.6.3 | Combined Orientation / Ocular Dominance / Direction Maps | 124 |
| 5.6.4 | Effect of Input Types | 124 |
| 5.7 | Discussion | 130 |
| 5.8 | Conclusion | 132 |
| 6 | Understanding Plasticity | 133 |
| 6.1 | Biological and Computational Background | 133 |
| 6.1.1 | Reorganization After Retinal Lesions | 133 |
| 6.1.2 | Reorganization After Cortical Lesions | 135 |
| 6.1.3 | Computational Models | 137 |
| 6.2 | The Reduced LISSOM Model | 138 |
| 6.2.1 | Method of Self-Organization | 138 |
| 6.2.2 | Orientation Maps with and without the LGN | 140 |
| 6.2.3 | The Role of ON/OFF Channels | 140 |
| 6.2.4 | Methods for Modeling Plasticity | 142 |

| | | |
|----------|---------------------------------------------------------------------|------------|
| 6.3 | Retinal Lesions | 142 |
| 6.3.1 | Reorganization of the Map | 142 |
| 6.3.2 | Dynamic Receptive Fields | 145 |
| 6.4 | Cortical Lesions | 146 |
| 6.4.1 | Reorganization of the Map | 147 |
| 6.4.2 | Limits of Reorganization | 151 |
| 6.4.3 | Medical Implications | 151 |
| 6.5 | Discussion | 152 |
| 6.6 | Conclusion | 153 |
| 7 | Understanding Visual Performance: The Tilt Aftereffect | 155 |
| 7.1 | Psychophysical and Computational Background | 155 |
| 7.1.1 | Psychophysical Data | 155 |
| 7.1.2 | Theoretical Explanations | 158 |
| 7.1.3 | Computational Models | 159 |
| 7.2 | Method | 160 |
| 7.2.1 | Quantifying the Perceived Orientation | 161 |
| 7.2.2 | Measuring the Tilt Aftereffect | 162 |
| 7.3 | Results | 164 |
| 7.3.1 | Magnitude Versus Orientation Difference | 164 |
| 7.3.2 | Magnitude over Time | 165 |
| 7.4 | Analysis | 166 |
| 7.4.1 | Afferent and Lateral Contributions | 166 |
| 7.4.2 | Mechanisms | 167 |
| 7.5 | Discussion | 170 |
| 7.6 | Conclusion | 171 |

Part III CONSTRUCTING VISUAL FUNCTION

| | | |
|----------|--------------------------------------------------------------------|------------|
| 8 | HLISSOM: A Hierarchical Model | 175 |
| 8.1 | Motivation: Synergy of Nature and Nurture | 175 |
| 8.2 | The Hierarchical Architecture | 178 |
| 8.2.1 | Brainstem Input Area | 178 |
| 8.2.2 | Face-Selective Area | 178 |
| 8.2.3 | Afferent Normalization | 180 |
| 8.3 | Inputs, Activation and Learning | 181 |
| 8.4 | Effect of Input Sequence and Initial Organization | 184 |
| 8.5 | Conclusion | 185 |
| 9 | Understanding Low-Level Development: Orientation Maps | 189 |
| 9.1 | Biological Motivation | 189 |
| 9.2 | Prenatal Development | 190 |
| 9.2.1 | Method | 191 |
| 9.2.2 | Map Organization | 192 |

| | | |
|-----------|-------------------------------------------------------------------|------------|
| 9.2.3 | Effect of Training-Pattern Variations | 192 |
| 9.3 | Postnatal Development | 194 |
| 9.3.1 | Method | 194 |
| 9.3.2 | Map Organization | 195 |
| 9.3.3 | Effect of Visual Environment | 197 |
| 9.4 | Prenatal and Postnatal Contributions | 199 |
| 9.4.1 | Method | 199 |
| 9.4.2 | Effect of Training-Regime Variations | 199 |
| 9.5 | Discussion | 201 |
| 9.6 | Conclusion | 202 |
| 10 | Understanding High-Level Development: Face Detection | 203 |
| 10.1 | Psychophysical and Computational Background | 203 |
| 10.1.1 | Psychophysical Data | 203 |
| 10.1.2 | Computational Models of Face Processing | 206 |
| 10.1.3 | Theoretical Models of Newborn Face Preferences | 208 |
| 10.2 | Prenatal Development | 213 |
| 10.2.1 | Training Method | 213 |
| 10.2.2 | V1 and Face-Selective Area Organization | 216 |
| 10.2.3 | Testing Method | 217 |
| 10.2.4 | Responses to Schematic Patterns | 218 |
| 10.2.5 | Responses to Natural Images | 221 |
| 10.2.6 | Effect of Training-Pattern Shape | 225 |
| 10.3 | Postnatal Development | 227 |
| 10.3.1 | Initial Trained and Naïve Networks | 227 |
| 10.3.2 | Training and Testing Methods | 228 |
| 10.3.3 | Prenatally Established Bias for Learning Faces | 230 |
| 10.3.4 | Decline in Response to Schematics | 231 |
| 10.3.5 | Mother Preferences | 233 |
| 10.4 | Discussion | 233 |
| 10.5 | Conclusion | 238 |

Part IV PERCEPTUAL GROUPING

| | | |
|-----------|-------------------------------------------------------|------------|
| 11 | PGLISSOM: A Perceptual Grouping Model | 241 |
| 11.1 | Motivation: Temporal Coding | 241 |
| 11.2 | The Self-Organization and Grouping Architecture | 243 |
| 11.3 | Spiking Unit Model | 244 |
| 11.3.1 | Leaky Synapse | 244 |
| 11.3.2 | Activation | 246 |
| 11.3.3 | Threshold Mechanism | 246 |
| 11.4 | Learning | 247 |
| 11.5 | Self-Organizing Process | 249 |
| 11.5.1 | Method | 249 |

| | | |
|-----------|---------------------------------------------------------------------|------------|
| 11.5.2 | Receptive Fields and Orientation Maps | 249 |
| 11.5.3 | Lateral Connections | 252 |
| 11.6 | Conclusion | 255 |
| 12 | Temporal Coding | 257 |
| 12.1 | Method | 257 |
| 12.2 | Binding Through Synchronization | 258 |
| 12.2.1 | Effect of Synaptic Decay Rate | 258 |
| 12.2.2 | Effect of Connection Range | 261 |
| 12.3 | Segmentation Through Desynchronization | 263 |
| 12.3.1 | Effect of Connection Types | 263 |
| 12.3.2 | Effect of Noise | 263 |
| 12.4 | Robustness Against Variation and Noise | 265 |
| 12.4.1 | Robustness Against Size Differences | 265 |
| 12.4.2 | Overcoming Noise with Strong Excitation | 268 |
| 12.4.3 | Overcoming Noise with a Long Refractory Period | 269 |
| 12.5 | Discussion | 270 |
| 12.6 | Conclusion | 271 |
| 13 | Understanding Perceptual Grouping: Contour Integration | 273 |
| 13.1 | Psychophysical and Computational Background | 273 |
| 13.1.1 | Psychophysical Data | 273 |
| 13.1.2 | Computational Models | 278 |
| 13.2 | Contour Integration and Segmentation | 280 |
| 13.2.1 | Method | 280 |
| 13.2.2 | Contour Integration | 282 |
| 13.2.3 | The Role of Lateral Connections | 284 |
| 13.2.4 | Contour Segmentation | 286 |
| 13.3 | Contour Completion and Illusory Contours | 288 |
| 13.3.1 | Method | 288 |
| 13.3.2 | Contour Completion | 289 |
| 13.3.3 | Afferent and Lateral Contributions | 290 |
| 13.3.4 | Completion of Illusory Contours | 292 |
| 13.3.5 | Saliency of Closed Versus Open Contours | 294 |
| 13.4 | Influence of Input Distribution on Anatomy and Performance | 295 |
| 13.4.1 | Method | 295 |
| 13.4.2 | Differences in Connection Patterns | 296 |
| 13.4.3 | Differences in Contour Integration | 299 |
| 13.5 | Discussion | 299 |
| 13.6 | Conclusion | 304 |

Part V EVALUATION AND FUTURE DIRECTIONS

| | |
|------------------------------------------------------------------------|-----|
| 14 Computations in Visual Maps | 307 |
| 14.1 Visual Coding in the Cortex | 307 |
| 14.2 Visual Coding in LISSOM | 309 |
| 14.2.1 Method | 309 |
| 14.2.2 Sparse, Redundancy-Reduced Representations | 311 |
| 14.2.3 The Role of Self-Organized Lateral Connections | 311 |
| 14.3 Visual Coding for High-Level Tasks | 314 |
| 14.3.1 The Handwritten Digit Recognition Task | 314 |
| 14.3.2 Method | 315 |
| 14.3.3 Forming Map Representations | 318 |
| 14.3.4 Recognizing Map Representations | 319 |
| 14.4 Discussion | 319 |
| 14.5 Conclusion | 324 |
| 15 Scaling LISSOM simulations | 325 |
| 15.1 Parameter Scaling Approach | 325 |
| 15.2 Scaling Equations | 326 |
| 15.2.1 Scaling the Area | 326 |
| 15.2.2 Scaling Retinal Density | 327 |
| 15.2.3 Scaling Cortical Density | 330 |
| 15.3 Forming Large Maps: The GLISSOM Approach | 332 |
| 15.4 GLISSOM Scaling | 332 |
| 15.4.1 Weight Interpolation Algorithm | 333 |
| 15.4.2 Method | 336 |
| 15.4.3 Comparing LISSOM and GLISSOM Maps | 337 |
| 15.5 Scaling to Cortical Dimensions | 339 |
| 15.6 Discussion | 342 |
| 15.7 Conclusion | 343 |
| 16 Discussion: Biological Assumptions and Predictions | 345 |
| 16.1 Self-Organization | 345 |
| 16.1.1 Recurrent Lateral Interactions | 346 |
| 16.1.2 Adapting Lateral Connections | 346 |
| 16.1.3 Normalization of Connections | 348 |
| 16.1.4 The Role of Excitatory and Inhibitory Lateral Connections | 349 |
| 16.1.5 Connection Death | 352 |
| 16.1.6 Parameter Adaptation | 353 |
| 16.2 Genetically Driven Development | 354 |
| 16.2.1 Self-Organization of V1 | 354 |
| 16.2.2 Self-Organization of Higher Levels | 355 |
| 16.2.3 Evolving Complex Systems | 357 |
| 16.3 Temporal Coding | 358 |

| | | |
|-----------|---------------------------------------------------------|------------|
| 16.3.1 | Synchrony as a Perceptual Representation | 358 |
| 16.3.2 | Interpretation of Temporal Codes | 359 |
| 16.3.3 | The Role of the Different Layers | 360 |
| 16.4 | Predictions | 362 |
| 16.4.1 | Cortical Organization | 362 |
| 16.4.2 | Patterns of Lateral Connections | 363 |
| 16.4.3 | Tilt Aftereffects | 365 |
| 16.4.4 | Plasticity | 365 |
| 16.4.5 | Internal Pattern Generation | 366 |
| 16.4.6 | Face Processing | 368 |
| 16.4.7 | Synchronization | 368 |
| 16.4.8 | Perceptual Grouping | 370 |
| 16.4.9 | Sparse Coding | 372 |
| 16.5 | Conclusion | 373 |
| 17 | Future Work: Computational Directions | 375 |
| 17.1 | Extensions to the LISSOM Mechanisms | 375 |
| 17.1.1 | Threshold Adaptation | 375 |
| 17.1.2 | Push–Pull Afferent Connections | 376 |
| 17.1.3 | Modeling Substructure Within Columns | 377 |
| 17.1.4 | Phase-Invariant Responses | 378 |
| 17.1.5 | Time-Lagged Activation | 379 |
| 17.2 | Modeling New Phenomena with LISSOM | 379 |
| 17.2.1 | Spatial Frequency, Color, and Disparity in V1 | 380 |
| 17.2.2 | Differences between Species | 381 |
| 17.2.3 | Prenatal and Early Postnatal Development of V1 | 382 |
| 17.2.4 | Postnatal Internally Generated Patterns | 383 |
| 17.2.5 | Tilt Illusions | 384 |
| 17.2.6 | Other Visual Aftereffects | 385 |
| 17.2.7 | Hyperacuity | 386 |
| 17.2.8 | Grouping with Natural Input | 386 |
| 17.2.9 | Scaling up to Large Networks | 387 |
| 17.2.10 | Foveated Input and Eye Movements | 388 |
| 17.2.11 | Scaling up to Cortical Hierarchy | 389 |
| 17.2.12 | Line-End-Induced Illusory Contours and Occluded Objects | 390 |
| 17.2.13 | Feedback from Higher Levels | 391 |
| 17.2.14 | High-Level Influence on Perceptual Grouping | 393 |
| 17.2.15 | Multi-Modal Integration | 394 |
| 17.3 | New Research Directions | 396 |
| 17.3.1 | Theoretical Analysis of Visual Computations | 396 |
| 17.3.2 | Genetically Specified Pattern Associations | 397 |
| 17.3.3 | Embodied, Situated Perception | 399 |
| 17.3.4 | Building Artificial Vision Systems | 400 |
| 17.3.5 | Constructing Complex Systems | 401 |
| 17.4 | The <i>Topographica</i> Cortical Map Simulator | 403 |

17.4.1 Overview 403

17.4.2 Scope and Design 404

17.4.3 Implementation 405

17.4.4 Further Development 406

17.5 Conclusion 406

18 Conclusion 409

18.1 Contributions 409

18.2 Conclusion 412

Appendices

A LISSOM Simulation Specifications 415

A.1 Generalized Activation Equation 415

A.2 Default Parameters 416

A.3 Choosing Parameters for New Simulations 419

A.4 Retinotopic Maps 422

A.5 Orientation Maps 422

A.6 Ocular Dominance Maps 423

A.7 Direction Maps 424

A.8 Combined Orientation / Ocular Dominance Maps 424

A.9 Combined Orientation / Ocular Dominance / Direction Maps 424

B Reduced LISSOM Simulation Specifications 427

B.1 Plasticity 427

B.2 Tilt Aftereffect 428

B.3 Scaling 428

C HLISSOM Simulation Specifications 429

C.1 V1 Only 429

C.2 Face-Selective Area Only 430

C.3 Combined V1 and Face-Selective Area 432

D PGLISSOM Simulation Specifications 435

D.1 Self-Organization 435

D.2 Grouping 437

D.3 Synchronization 438

E SOM Simulation Specifications 439

F Visual Coding Simulation Specifications 441

F.1 Sparse Coding and Reconstruction 441

F.2 Handwritten Digit Recognition 442

| | | |
|----------|---------------------------------------|-----|
| G | Calculating Feature Maps | 445 |
| | G.1 Preference Map Algorithms | 445 |
| | G.2 Retinotopic Maps | 449 |
| | G.3 Orientation Maps | 449 |
| | G.4 Ocular Dominance Maps | 449 |
| | G.5 Direction Maps | 450 |
| | G.6 Orientation Gradients | 450 |
| | References | 451 |
| | Author Index | 503 |
| | Subject Index | 523 |