

420-500: Programming Assignment 2

Read every page very carefully before you begin.

1. Implement seven search algorithms to solve 8-puzzle: `dfs`, `bfs`, `dls`, `ids`, greedy best-first (hence-forth ``greedy''), `a-star`, `ida-star`.
2. Test and compare time and space complexity for all cases.
3. Test and compare the effect of different heuristic functions (for the informed search algorithms).

This project is inspired by: <http://www.cs.utexas.edu/users/novak/asg-8p.html>.

1

Program 2: Required Material

Use the exact filename as shown below (in **bold**).

- Program code (**eight.lsp**): put it in a single text file.
 - Ample indentation and documentation is required.
- Documentation (**README**): user manual plus results/analysis.
- Inputs and outputs (include in **README**; truncate output for search sessions that produce too much output):
 - Easy: `' (1 3 4 8 6 2 7 0 5)`
 - Medium: `' (2 8 1 0 4 3 7 6 5)`
 - Hard: `' (5 6 7 4 0 8 3 2 1)`

3

Program 2: 8-Puzzle with Search

- Input: a board configuration
`' (1 3 4 8 6 2 7 0 5)`
- Output: sequence of moves
`' (UP RIGHT UP LEFT DOWN)`
- Search methods to be implemented (use the exact function interface):
`dfs`, `bfs`, `dls`, `ids`, `greedy`, `a-star`, `ida-star`.
- Use h_1 (number of tiles out-of-place), and h_2 (sum of manhattan distance) for those requiring heuristics (make the functions to take the function as an argument).
- This is an **individual project**.

2

Program 2: Required Material (Cont'd)

Continued from the previous page

- For each run, report the **time** taken and the **number of nodes visited**. Except for IDA*, report the **maximum length of the node list (or recursion depth)** during the execution of the search.
- Compare the time and space complexity (from above) of various search methods using the Easy, Medium, and Hard case examples.
- For each method, comment on the strengths and weaknesses.
- Some search methods may fail to produce an answer. Analyze why it failed and report your findings.

4

Program 2: Function interface

- See <http://courses.cs.tamu.edu/choe/08fall/420/src/eight-interface.lsp>
- Exactly follow the interfaces and function names.

5

Program 2 Tips (2)

Checking for duplicate states

```
(defun dupe (state node-list)
  (dolist (node node-list nil)
    (if (equal state (first node))
        (return-from dupe T))))
```

(You may use a state-list to save space, rather than a node-list, or better yet, use somekind of hash function.)

7

Program 2 Tips (1)

Timing execution: use `(time (your-function-to-run))` to get the execution time.

```
* (time (car '(x x)))
real time : 0.000 secs
run time  : 0.000 secs
X
```

*

6

Program 2: Node Representation

1	3	4
8	6	2
7		5

A node in the search tree has the following data structure:

```
'((1 3 4 8 6 2 7 0 5);blank is stored as 0
  h                      ;heuristic function value
  depth                  ;depth from the root
  path))                 ;list of moves from
                        ; the start
```

8

Program 2: Sorting

```
'((1 3 4 8 6 2 7 0 5);blank is stored as 0
  h                ;heuristic function value
  depth            ;depth from the root
  path))           ;list of moves from
                  ; the start
```

Sorting a node list, e.g. according to the heuristic:

```
(sort <node-list>
 #'(lambda (x y) (< (second x) (second y)) )
 )
```

lambda : read **define-anonymous function**

```
#'something = (function something)
cf. 'something = (quote something)
```

9

Lambda Expression

lambda expression can basically replace any occurrences of function names, i.e. it works like an anonymous function:

```
(defun mysqr (x) (* x x))
(mysqr '11)
```

```
; the above is the same as
((lambda (x) (* x x)) '11)
```

; some more examples

```
(defun myop (x op)
  (eval (list op (first x) (second x))))
```

```
(myop ' (2 3) '*)
```

```
(myop ' (2 3) '(lambda (x y) (* x y)))
```

11

Sorting: Alternatives

```
(defun sort-node-list (node-list)
  (sort node-list
        #'(lambda (x y) (< (second x) (second y)) )))
```

; the above is equivalent to :

```
(defun sort-node-list (node-list)
  (sort node-list
        (function (lambda (x y) (< (second x) (second y)) )))
```

; the above is equivalent to :

```
(defun compare-h ( x y )
  (< (second x) (second y)))
```

```
(defun sort-node-list (node-list)
  (sort node-list #'compare-h))
```

10

Sorting: Example

```
(setq test-node-list
  '((list1 10 0 0) (list2 87 0 0)
    (list 100 0 0) (list 5 1 0 0))
 )
```

```
(defun sort-node-list (node-list)
  (sort node-list
        #'(lambda (x y) (< (second x) (second y)) )
  )
 )
```

```
(sort-node-list test-node-list)
```

* You can use any combination of values to sort, and do ascending or descending sorts by changing the **lambda** function.

12

Program 2: Utility Routines

Source is available on the course web page:

<http://courses.cs.tamu.edu/choe/08fall/420/src/eight-util.lsp>

- `(apply-op <operator> <node>)`: return new node after applying operator on current node
- `(print-tile <state>)`: prints out the board
- `(print-answer <state> <path>)`: prints boards after each move in the path, starting from the state.
- `(while <cond> <expr1> <expr2> ...)`: while loop macro.

See <http://courses.cs.tamu.edu/choe/08fall/420/src/eight-util.txt> for example runs.

13

Program 2: Grading Criteria

- analysis, program comments, readability: 15%
- dfs, bfs, dls, and ids: 10% each
- greedy, a-star, and ida-star: 15% each

15

Program 2: DFS working code

See <http://courses.cs.tamu.edu/choe/08fall/420/src/dfs.lsp> for a functioning DFS code.

You can either use the recursive version (`dfs`) or iterative version (`dfs-iter`) as the base. The iterative version is more memory-efficient.

Program 2: Other tips

For this assignment, it is highly recommended that you compile and run your program. See ROB, "Lisp: compiling".

14

Program 2: Submission

- Turnin using CSNET turnin page.
- See the course web page for details.
- Standard late penalty applies: 1 day late 80%, 2 days late 60%, etc.
- Only send **plain ASCII text** files. **Do not send MS-Word documents or other formatted text.**

16