Code Tuning Techniques

CPSC 315 – Programming Studio

adapted from John Keyser's 315 slides

Tuning Code

- Tuning can be at several "levels" of code
 Routine level to system level
- No "do this and improve code" technique
 - Same technique can increase *or decrease* performance, depending on situation
 - Must measure to see what effect is
- Remember:

Tuning code can make it harder to understand and maintain!

Tuning Code

- We'll describe several categories of tuning, and several specific cases
 - Logical Approaches
 - Tuning Loops
 - Transforming Data
 - Tuning Expressions
 - Others

Logical Approaches: Stop Testing Once You Know the Answer • Short-Circuit Evaluation if ((a > 1) and (a < 4)) if (a > 1) if (a < 4) - Note: Some languages (C++/Java) do this

 Note: Some languages (C++/Java) do this automatically Logical Approaches: Stop Testing Once You Know the Answer

```
• Breaking out of "Test Loops"
flag = False;
for (i=0; i<10000; i++) {
    if (a[i] < 0) flag = True;
}</pre>
```

- Several options:
 - Use a break command (or goto!)
 - Change condition to check for Flag
 - Sentinel approach

```
Logical Approaches:
Stop Testing Once You Know the
Answer
• Break Command
flag = False;
for (i=0; i<10000; i++) {
    if (a[i] < 0) {
      flag = True;
      break();
    }
}
```

```
Logical Approaches:
Stop Testing Once You Know the
Answer
• Change Condition to Check for Flag
flag = False;
for (i=0; (i<10000) && !flag; i++) {
    if (a[i] < 0) {
        flag = True;
    }
}
```

```
Logical Approaches:
Stop Testing Once You Know the
Answer
• Sentinel Approach
flag = False;
for (i=0; i<10000; i++) {
    if (a[i] < 0) {
      flag = True;
      i=10000;
    }
}
```

Logical Approaches: Order Tests by Frequency

- Test the most common case first
 - Especially in switch/case statements
 - Remember, compiler may reorder, or not shortcircuit
- Note: it's worthwhile to compare performance of logical structures
 - Sometimes switch is faster, sometimes if-then
- Generally a useful approach, but can potentially make tougher-to-read code
 - Organization for performance, not understanding

Logical Approaches: Use Lookup Tables

- Table lookups can be much faster than following a logical computation
- Example: diagram of logical values:



Logical Approaches: Use Lookup Tables

if ((a &&	!c) (a && b && c)) {
val =	1;
} else if	((b && !a) (a && c && !b))
val =	2;
} else if	(c && !a && !b) {
val =	3;
} else {	A 1 1
val =	0;
}	
	3

Logical Approaches: Use Lookup Tables

statio	c int	valtabl	e[2][2]	[2] =	{	
11	!b!c	!bc	b!c	bc		
	Ο,	3,	2,	2,	//	!a
	1,	2,	1,	1,	//	а
1.						

};

B

val = valtable[a][b][c]



Logical Approaches: Lazy Evaluation

- Idea: wait to compute until you're sure you need the value
 - Often, you never actually use the value!
- Tradeoff overhead to maintain lazy representations vs. time saved on computing unnecessary stuff

Logical Approaches: Lazy Evaluation

Class listofnumbers { private int howmany; private float* list; private float median;

```
float getMedian() {
    return median;
}
```

void addNumber(float num) {
 //Add number to list
 //Compute Median

Logical Approaches: Lazy Evaluation

```
Class listofnumbers {
    private int howmany;
    private float* list;
    private float median;
```

```
float getMedian() {
    //Compute Median
    return median;
}
```

```
void addNumber(float num) {
    //Add number to list
```

Tuning Loops: Unswitching

 Remove an if statement unrelated to index from inside loop to outside

```
for (i=0; i<n; i++)
    if (type == 1)
        sum1 += a[i];
    else
        sum2 += a[i];</pre>
```

```
if (type == 1)
    for (i=0; i<n; i++)
        sum1 += a[i];
else
    for (i=0; i<n; i++)
        sum2 += a[i];</pre>
```

Tuning Loops: Jamming

Combine two loops

```
for (i=0; i<n; i++)
    sum[i] = 0.0;
for (i=0; i<n; i++)
    rate[i] = 0.03;</pre>
```

```
for (i=0; i<n; i++) {
    sum [i] = 0.0;
    rate[i] = 0.03;</pre>
```

Tuning Loops: Unrolling

• Do more work inside loop for fewer iterations
 - Complete unroll: no more loop...
 - Occasionally done by compilers (if recognizable)
for (i=0; i<n; i++) {
 a[i] = i;
 }
for (i=0; i<(n-1); i+=2) {
 a[i] = i;
 a[i] = i;
 a[i+1] = i+1;
}
if (i == n-1)
 a[n-1] = n-1;</pre>

Tuning Loops: Minimizing Interior Work

 Move pointer/memory references and repeated computation outside

```
for (i=0; i<n; i++) {
    balance[i] += purchase->allocator->indiv-
    >borrower;
    amounttopay[i] = balance[i]*(prime+card)*pcentpay;
}
newamt = purchase->allocator->indiv->borrower;
payrate = (prime+card)*pcentpay;
```

```
for (i=0; i<n; i++) {
    balance[i] += newamt;
    amounttopay[i] = balance[i]*payrate;</pre>
```

Tuning Loops: Sentinel Values

Test value placed after the end of the array to guarantee termination

```
i=0;
found = FALSE;
while ((!found) && (i<n)) {
    if (a[i] == testval)
        found = TRUE;
    else
        i++;
}
if (found) ... //Value found
savevalue = a[n];
a[n] = testval;
i=0;
while (a[i] != testval)
    i++;
if (i<n) ... // Value found (loop terminated before reaching end)</pre>
```

}

Tuning Loops: Busiest Loop on Inside

Reduce overhead by calling fewer loops
for (i=0; i<100; i++) // 100
for (j=0; j<10; j++) // 100x10=1000
dosomething(i,j);
 Total of 1100 loop iterations

Tuning Loops: Strength Reduction

 Replace multiplication involving loop index by addition

```
for (i=0; i<n; i++)
    a[i] = i*conversion;</pre>
```

Transforming Data: Integers Instead of Floats

- Integer math tends to be faster than floating point
- Use ints instead of floats where appropriate
- Likewise, use floats instead of doubles
- Need to test on system...

Transforming Data: Fewer Array Dimensions

- Express as 1D arrays instead of 2D/3D as appropriate
 - Beware of assumptions on memory organization

```
for (i=0; i<rows*cols; i++)
    a[i] = 0.0;</pre>
```

Transforming Data: Minimize Array Refs

• Avoid repeated array references
 - Like minimizing interior work
for (i=0; i<r; i++)
 for (j=0; j<c; j++)
 a[j] = b[j] + c[i];</pre>

Transforming Data: Use Supplementary Indexes

- Sort indices in array rather than elements themselves
 - Tradeoff extra dereference in place of



Transforming Data: Use Caching

- Store data instead of (re-)computing
 - e.g. store length of an array (ended by sentinel) once computed
 - e.g. repeated computation in loop
- Overhead in storing data is offset by
 - More accesses to same computation
 - Expense of initial computation

Tuning Expressions: Algebraic Identities and Strength Reduction

- Avoid excessive computation

 sqrt(x) < sqrt(y) equivalent to x < y
- Combine logical expressions
 - !a || !b equivalent to !(a && b) -- 3 vs. 2 ops
- Use trigonometric/other identities
- Right/Left shift to multiply/divide by 2

Tuning Expressions: Compile-Time Initialization

 Known constant passed to function can be replaced by value.

```
log2val = log(val) / log(2);
```

```
const double LOG2 =
   0.69314718;
log2val = log(val) / LOG2;
```

Tuning Expressions: Avoid System Calls

- Avoid calls that provide more computation than needed
 - e.g. if you need an integer log, don't compute floating point logarithm
 - Could count # of shifts needed
 - Could program an if-then statement to identify the log (only a few cases)

Tuning Expressions: Use Correct Types

- Avoid unnecessary type conversions
- Use floating-point constants for floats, integer constants for ints

Tuning Expressions: Precompute Results

- Storing data in tables/constants instead of computing at run-time
- Even large precomputation can be tolerated for good run-time
- Examples
 - Store table in file
 - Constants in code
 - Caching
 - Function look-up tables

Tuning Expressions: Eliminate Common Subexpressions

- Anything repeated several times can be computed once ("factored" out) instead
 Compilers pretty good at recognizing, now
 a = b + (c/d) e*(c/d) + f*(d/c);
- t = c/d; a = b + t - e*t + f/t;

Other Tuning: Inlining Routines

- Avoiding function call overhead by putting function code in place of function call
 - Also called Macros
- Some languages support directly (C++: inline)
- Compilers tend to minimize overhead already, anyway

Other Tuning: Recoding in Low-Level Language

- Rewrite sections of code in lower-level (and probably much more efficient) language
- Lower-level language depends on starting level
 - Python -> C++
 - C++ -> assembler
- Should only be done at bottlenecks
- Increase can vary greatly, can easily be worse

Other Tuning: Buffer I/O

- Buffer input and output
 - Allows more data to be processed at once
 - Usually there is overhead in sending output, getting input

Other Tuning: Handle Special Cases Separately

- After writing general purpose code, identify hot spots
 - Write special-case code to handle those cases more efficiently
- Avoid overly complicated code to handle all cases
 - Classify into cases/groups, and separate code for each

Other Tuning: Use Approximate Values

- Sometimes can get away with approximate values
- Use simpler computation if it is "close enough"
 - e.g. integer sin/cos, truncate small values to 0.

Other Tuning: Recompute to Save Space

- Opposite of Caching!
- If memory access is an issue, try not to store extra data
- Recompute values to avoid additional memory accesses, even if already stored somewhere

Code Tuning Summary

- Tuning is a "last" step, and should only be applied when it is needed
- Always test your changes
 - Often will not improve or even make worse
 - If there is no improvement, go back to earlier version
- Usually, code readability is more important than performance benefit gained by tuning